IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

Atsuo F. Fukunaga et al.

Patent No. 7,261,105

Serial No. 10/777,772

Filing date: February 12, 2004

Issue date: October 28, 2007

Titled:

BREATHING CIRCUITS HAVING UNCONVENTIONAL RESPIRATORY CONDUITS AND SYSTEMS AND METHODS FOR OPTIMIZING UTILIZATION OF FRESH GASES

Group: 3731

Examiner: Erezo, Darwin P.

Confirmation No. 2944

NOTIFICATION OF ERROR IN ENTITY STATUS UNDER 37 C.F.R § 1.28(c)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir

Applicants in the above-identified patent were not entitled to pay the 4th year maintenance fee as a small entity. Status as a small entity was established in good faith and application fees as a small entity were correctly paid. The subject patent is licensed by King Systems Corporation. Baker & Daniels LLP is counsel for the licensee and responsible for payment of maintenance fees. The undersigned discovered that the Commissioner was not notified of a loss of entitlement to small entity status as required by §1.27(g)(2) and as a result the 4th year maintenance fee was paid in error, with no intention to deceive, as a small entity fee. Therefore, pursuant to 37 C.F.R. §1.28(c), the undersigned hereby submits payment of the deficiency between the amounts paid and owed, which according to \$1,28(d) also operates as a notification of loss of status under \$1.27(g)(2).

Type of Fee	Small Entity	Payment	Deficiency Owed	
Maintenance fee	\$490	2/28/11	\$490	
			Total Deficiency Owed:	\$490

Amount paid as Date of Original

The Director is hereby authorized to charge \$490 for the deficiency owed and any other deficiency in the payment of the required fee(s) or credit any overpayment to Deposit Account No. 02-0390, Baker & Daniels LLP.

Respectfully submitted,

/Marcelo Copat/

Marcelo S. Copat Reg. No. 51,580 Attorney for Licensee

Date Submitted: April 28, 2011

BAKER & DANIELS LLP 300 North Meridian Street, Suite 2700 Indianapolis, Indiana 46204 Telephone: (317) 237-1367

Facsimile: (317) 237-1000